

L Number	Hits	Search Text	DB	Time stamp
-	136	709/223.ccls. and @ad<20010406 and (port NEAR5 manag\$6)	USPAT; US-PGPUB	2004/08/16 12:50
-	31	709/223.ccls. and @ad<20010406 and ((port NEAR5 manag\$6) SAME "IP")	USPAT; US-PGPUB	2004/08/16 13:01
-	37	(convert\$3 or reserv\$3 or assign\$3) NEAR5 (public NEAR4 "IP") and @ad<20010406	USPAT; US-PGPUB	2004/08/16 13:32
-	0	(dyanamic NEAR3 port NEAR3 management) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 13:33
-	0	(dyanamic NEAR6 port NEAR6 manag\$6) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 13:33
-	5	((replac\$5 or chang\$3 or new) NEAR4 port) SAME (application NEAR3 session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 14:01
-	116	((replac\$5 or chang\$3 or new) NEAR4 port) SAME (session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 14:25
-	23	(dynamic NEAR6 port) SAME (session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 14:37
-	8	((("5636216") or ("5793763") or ("5815664") or ("5835726") or ("6047325") or ("6055236") or ("6157636") or ("6175867"))).PN.	USPAT; US-PGPUB	2004/08/19 14:19
-	5	(network NEAR3 session NEAR3 manag\$5) SAME port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 14:50
-	141	(network NEAR3 session NEAR3 manag\$5) AND port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:02
-	24194	(assign\$5 or select\$3 or designat\$3) NEAR4 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:09
-	11	(assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (application NEAR3 session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:13
-	205	(assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:23
-	172	((assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (session) and @ad<20010406) not (((replac\$5 or chang\$3 or new) NEAR4 port) SAME (session) and @ad<20010406)	USPAT; US-PGPUB	2004/08/16 15:24
-	2	NAT NEAR6 (chang\$3 or modify\$3 or replac\$3) NEAR3 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:27
-	14	session NEAR6 (chang\$3 or modify\$3 or replac\$3) NEAR3 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:27
-	27	NAT SAME (chang\$3 or modify\$3 or replac\$3) NEAR3 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 15:33
-	1495	(determin\$4 or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3 or switch\$3) NEAR5 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:05
-	1814	(determin\$4 or can or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3) NEAR5 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:06
-	0	(determin\$4 or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3) NEAR5 port SAME session and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:07
-	263	(determin\$4 or decid\$3) NEAR6 (replac\$3 or chang\$3 or modify\$3) NEAR5 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:10
-	33	(application NEAR4 session) NEAR5 port and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:24
-	7	("4614841"   "5224098"   "5261051"   "5265239"   "5265261"   "5425028"   "5490256").PN.	USPAT	2004/08/16 16:18
-	1	6249818.URPN.	USPAT	2004/08/16 16:19
-	1	driver NEAR4 (socket NEAR4 session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:26
-	29	port SAME (socket NEAR4 session) and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:26
-	1204	370/389.ccls. and @ad<20010406	USPAT; US-PGPUB	2004/08/16 16:26
-	181	(370/389.ccls. and @ad<20010406) and ((assign\$4 or replac\$4 or chang\$4 or modify\$4) NEAR4 port)	USPAT; US-PGPUB	2004/08/16 16:27

Best Available Copy

*8/20/04*

-	179	((370/389.ccls. and @ad<20010406) and ((assign\$4 or replac\$4 or chang\$4 or modify\$4) NEAR4 port)) not (((assign\$5 or select\$3 or designat\$3) NEAR4 port SAME (session) and @ad<20010406) not (((replac\$5 or chang\$3 or new) NEAR4 port) SAME (session) and @ad<20010406))	USPAT; US-PGPUB	2004/08/16 16:27
-	41	(370/389.ccls. and @ad<20010406) and ((socket or session) NEAR7 port)	USPAT; US-PGPUB	2004/08/17 08:26
-	24	(370/392.ccls. and @ad<20010406) and ((socket or session) NEAR7 port)	USPAT; US-PGPUB	2004/08/17 09:03
-	55	"NAPT" and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:32
-	1591	(mark or indicat\$3 or flag) SAME ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:42
-	406	(mark or indicat\$3 or flag) NEAR6 ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:35
-	161	(mark or indicat\$3 or flag) NEAR3 ((chang\$3 or modify\$3 or replac\$3) NEAR3 port) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:34
-	5	(mark or indicat\$3 or flag) NEAR6 ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:36
-	15	(mark or indicat\$3 or flag) SAME ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:45
-	10	((mark or indicat\$3 or flag) SAME ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406) not ((mark or indicat\$3 or flag) NEAR6 ((chang\$3 or modify\$3 or replac\$3) NEAR5 port) SAME session and @ad<20010406)	USPAT; US-PGPUB	2004/08/17 09:46
-	1001	port NEAR3 flag and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:48
-	972	(port NEAR3 flag and @ad<20010406) and (chang\$4 or modify\$3 or alter\$3 or replac\$4 or new)	USPAT; US-PGPUB	2004/08/17 09:48
-	158	(port NEAR3 flag) SAME (chang\$4 or modify\$3 or alter\$3 or replac\$4 or new) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 09:53
-	23	(port NEAR3 flag) SAME ((chang\$4 or modify\$3 or alter\$3 or replac\$4 or new) NEAR4 (address or value or number)) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:01
-	359	detect\$3 NEAR5 port NEAR3 (chang\$3 or modify\$4 or replac\$4) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:03
-	0	detect\$3 NEAR5 port NEAR3 (replaceable) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:02
-	5	detect\$3 NEAR5 port NEAR8 (replaceable) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:03
-	1	detect\$3 NEAR5 port NEAR3 (changeable or modifiable or replaceable or alterable) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:04
-	6	detect\$3 NEAR5 port NEAR8 (changeable or modifiable or replaceable or alterable) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:05
-	119	detect\$3 NEAR5 port NEAR8 (changed or modified or replaced or altered) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:05
-	86	detect\$3 NEAR5 port NEAR4 (changed or modified or replaced or altered) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:12
-	998	can NEAR5 port NEAR4 (changed or modified or replaced or altered) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:13
-	152	(flag or mark or indicat\$4) NEAR5 port NEAR4 (changed or modified or replaced or altered) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:21
-	19	(flag or mark or indicat\$4) NEAR5 socket NEAR4 (changed or modified or replaced or altered) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:23

-	0	(flag or mark or indicat\$4) NEAR5 socket NEAR4 ("can be" NEAR3 (chang\$3 or modify\$4 or alter\$3 or replac\$3)) and @ad<20010406	USPAT; US-PGPUB	2004/08/17 10:50
-	1319	(detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:54
-	0	(detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 ((port or socket) SAME (session)) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:56
-	6	(detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:57
-	8	(detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR10 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:58
-	2	((detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR10 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session) not ((detect\$3 or decid\$3 or determin\$4 or identify\$3 or recogniz\$3) NEAR5 (port or socket) NEAR5 (chang\$4 or modify\$3 or alter\$3 or replac\$5) SAME session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:59
-	9	(extract\$3 or remov\$3) NEAR8 address NEAR8 (data NEAR4 segment) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:02
-	19	(destination NEAR3 address) SAME ((data adj2 segment) NEAR4 packet) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:09
-	143	(extract\$3 or remov\$3 or obtain\$3) NEAR6 ((network or destination or IP) NEAR2 address) NEAR6 (data NEAR5 packet) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:10
-	34	(extract\$3 or remov\$3 or obtain\$3) NEAR6 ((network or destination or IP) NEAR2 address) NEAR6 (data NEAR5 (portion or segment or field)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:20
-	16	((both or two or multiple) NEAR3 session NEAR8 "same" NEAR7 (address or port)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:27
-	241	(client NEAR5 shar\$4 NEAR6 (session or address or port)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:28
-	1	(client NEAR5 session NEAR5 shar\$4 NEAR6 (address or port)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:28
-	5	(client NEAR5 shar\$4 NEAR6 (address or port) SAME session) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:30

-	155	(shar\$4 NEAR6 (address or port) SAME session) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:30
-	44	(session NEAR6 shar\$4 NEAR6 (address or port)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:41
-	12	(session SAME (shar\$4 NEAR6 ((network or IP) NEAR3 address) NEAR5 port)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:48
-	146	(manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 (application NEAR2 session) and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:49
-	1	((manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 (application NEAR2 session)) SAME ((IP or network) adj2 address) and port and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:51
-	72	((manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 session) SAME ((IP or network) adj2 address) and port and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:52
-	23	((manag\$4 or schedul\$3 or reconcil\$5 or resolv\$4) NEAR8 session) NEAR9 ((IP or network) adj2 address) and port and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:58
-	692	shar\$3 NEAR3 session and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:59
-	80	(shar\$3 or divid\$4 or split) NEAR3 (application NEAR3 session) and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:05
-	609	(shar\$3 or divid\$4 or split) NEAR3 ((network or IP) NERA2 address) NEAR6 port and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:06
-	400	(shar\$3) NEAR3 ((network or IP) NERA2 address) NEAR6 port and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:16
-	3	session NEAR6 ((shar\$3) NEAR3 ((network or IP) NERA2 address) NEAR6 port) and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:15
-	78	(shar\$3) NEAR3 ((network or IP) NERA2 address) NEAR6 port and session and @ad<20010405	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:16
-	6	(NAT or NAPT or PAT) SAME (duplicat\$6 NEAR4 port) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:29

-	553	(duplicat\$6 NEAR4 port) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:30
-	13	intelligent NEAR8 (port NEAR4 (allocat\$5 or assign\$5 or manag\$7)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:30
-	5	(duplicat\$6 NEAR4 port) SAME (session or socket) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:01
-	28547	(shar\$4 or duplicat\$4 or "same") NEAR4 port and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:05
-	17771	((shar\$4 or duplicat\$4 or "same") NEAR4 port and @ad<20010406) and (session or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:04
-	1195	((shar\$4 or duplicat\$4 or "same") NEAR4 port and @ad<20010406) and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:04
-	4547	(shar\$4 or duplicat\$4) NEAR4 port and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:05
-	417	((shar\$4 or duplicat\$4) NEAR4 port and @ad<20010406) and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:05
-	64	((shar\$4 or duplicat\$4) NEAR4 port) SAME session and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:20
-	119	(application NEAR4 "same" NEAR4 port) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 08:28
-	4	((("6157950") or ("6470027") or ("6496866") or ("6449251"))).PN.	USPAT; US-PGPUB	2004/08/19 16:55
-	29	(session NEAR4 "same" NEAR4 port) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:04
-	7	duplicat\$4 NEAR6 port NEAR3 "IP" and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:07
-	1310	select\$5 NEAR6 (port NEAR5 (replac\$4 or modify\$4 or chang\$4 or \$2assign\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:08
-	597	select\$5 NEAR3 (port NEAR3 (replac\$4 or modify\$4 or chang\$4 or assign\$6 or reassign\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:09

-	96	selectively NEAR3 (port NEAR3 (replac\$4 or modify\$4 or chang\$4 or assign\$6 or reassign\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:12
-	74	session NEAR4 (port NEAR3 (replac\$4 or modify\$4 or chang\$4 or assign\$6 or reassign\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:36
-	1013	709/227.ccls. and port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 10:37
-	152	709/227.ccls. and (port NEAR5 (replac\$4 or modify\$4 or chang\$4 or \$2assign\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 11:20
-	227	borella.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 11:21
-	38	borella.in. and port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/20 11:21